




# CHLORIM™ 25 WG

HERBICIDE

REG.NO: 12-C-128-21

NET CONTENTS: 250g



HARMFUL IF SWALLOWED

## COMPOSITION

Chlorimuron-ethyl .....	250g/kg
Inert ingredients .....	750g/kg

## MASS/MASS

Chemical group: Sulfonylurea

**A SYSTEMIC POST EMERGENCE HERBICIDE FOR THE CONTROL OF  
BROADLEAF WEEDS AND SUPPRESSION OF NUTSEDGE IN  
SOYABEANS**

**DVA**  
GO FURTHER. TOGETHER



More Than  
Crop Protection

## SUPPLIED BY:

DVA Agro GmbH  
Valentinskamp 70/ EMPORIO  
20355 Hamburg, Germany  
Tel. +49-40-822285- 5  
Fax +49-40-822285-999

## DISTRIBUTOR:

Cropserve (Pvt) Ltd  
P O Box WGT 120 Westgate Harare  
16,5 km peg Lomagundi road  
MT. Hampden  
PHONE: +263 242 308601 / 308860

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.**

**PRECAUTIONS**

- Read and understand instructions on the label before opening the container
- Handle with care, avoid splashing and contact. Poisonous by contact with the skin, swallowing and inhalation.
- WEAR FULL PROTECTIVE CLOTHING i.e. rubber gloves, overalls and rubber boots during mixing and application.
- STORE APART FROM FOOD AND FOODSTUFFS.
- DO NOT eat, drink or smoke while applying this herbicide
- KEEP OUT OF REACH OF CHILDREN.
- Store in original container and KEEP UNDER LOCK AND KEY
- Destroy empty containers by burning. DO NOT use for any other purpose.

**SYMPTOMS OF POISONING:**

May irritate eyes, skin and mucous membranes and may result in general malaise.

**FIRST AID:**

If poisoning occurs, contact a Doctor.

**Skin contact:** Remove contaminated clothing. Wash immediately with soap and water for 15 minutes.

**Eye contact:** Flush eyes with water immediately and continuously for 15 minutes.

**Inhalation:** Remove patient to fresh air. Consult a physician if irritation develops or breathing is difficult

**Ingestion:** Rinse mouth. Do not induce vomiting and do not give liquids of any kind.

Never give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:**

Treat symptomatically. See first aid above.

**COMPATABILITY:**

It is preferable to use this product on its own.

**WEEDS CONTROLLED BY CHLORIM™ 25 WG**

**BROADLEAF WEEDS**

<i>Acanthospermum hispidum</i>	Upright starbur
<i>Bidens pilosa</i>	Black jack
<i>Datura stramonium</i>	Thorn apple
<i>Nicandra physaloides</i>	Apple of peru
<i>Tagetes minuta</i>	Mexican marigold
<i>Hibiscus spp.</i>	Stockrose

Wandering Jew, yellow Nutsedge and Mexican clover will be suppressed

**DIRECTIONS FOR USE:**

Apply CHLORIM™ 25 WG post-emergent to the crop and weeds.

CROP	RATE/HA	TIMING OF APPLICATION
SOYABEANS	30 gm With wetter at 0.1% of spray volume 30-50g/ha depending on weed type and size	Seedling weeds Any stage of crop however spray contact with weeds can be adversely affected by shielding affect of crop foliage.

**APPLICATION DETAILS:**

- Apply in a spray volume of 200-300 litres per hectare
- Ensure thorough mixing before and during application
- Add a non-ionic wetter, as advised by a qualified agronomist. Chlorim 25 WG™ should be thoroughly mixed with water in the spray tank before adding a wetter.
- Ensure thorough wetting of the target weeds which should be 4 leaf stage or less at the time of application
- Beyond the trifoliate stage of the crop it may be necessary to fit drop arms to the spray boom to ensure good contact with the weeds.

**MODE OF ACTION:**

CHLORIM™ 25 WG is rapidly absorbed by the weed foliage. Susceptible weeds will appear yellow within 3-5 days followed by death of the growing point.

**RESTRICTIONS:**

- Soyabeans may be planted any time after application of CHLORIM™ 25 WG
- Small grains should not be planted within 3 months of a CHLORIM™ 25 WG application.
- Maize, Cotton, Groundnuts, Clover, Beans, Tobacco, Tomatoes and Sorghum should not be planted within 9 months of a CHLORIM™ 25 WG application. Other crops may not be planted within 15 months of a CHLORIM™ 25 WG application.
- Do not apply CHLORIM™ 25 WG if rain is expected within 1 hour or weed control may be adversely affected

**DECONTAMINATION OF SPRAYER:**

Clean applicator thoroughly after use and ensure that all traces of CHLORIM™ 25 WG are removed. Make use of the following method.

1. Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes.
2. Fill tank with clean water and add 1.0 litre household bleach per 200 litres water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
3. Repeat step (1) and thereafter rinse thoroughly with clean water.

**WARRANTY**

The excellent results, which the chemical should normally yield, are not however warranted or guaranteed as effectiveness can be greatly influenced by factors outside the control of either the manufacturer or the supplier. No warranty whatsoever express or implied is therefore given concerning the performance or effectiveness of the chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from improper handling use or storage.

The product is warranted to consist of the ingredients shown on the label

\* The supplier makes no recommendation in regard to the compatibility of this product with any other products. No warranty is provided by the supplier for mixtures of this product with any other products. When mixing this product with other products, the buyer/user takes full responsibility and risk.

**SHELF LIFE**

When stored in its own container, under cool, constant conditions, minimum of two years from date of manufacture.

Batch No:  
Date of Manufacture:  
Date of Expiry